

Fennikel, alm.

Foeniculum *Foeniculum vulgare* Mill.; *Foeniculum vulgare* Mill. ssp. *vulgare* var. *vulgare*; *Foeniculum vulgare* Mill. subsp. *vulgare* var. *dulce* (Mill.) Batt. & Trab.

Synonymer: *Foeniculum officinale* All.; *Foeniculum capillaceum* Gilib.

Apiaceae - Skærmpantefamilien

Del anvendt:

aetheroleum (æterisk olie)

fructus (frugt)

herba (urt/alle overjordiske dele)

radix (rod)

semen (frø)

Lægemiddelplante i DK i år: 1300; 1546; 1619; 1672; 1772; 1805; 1840; 1850; 1868; 1893; 1907; 1933; 1948; 1963; 1978; 1981; 1997; 2002; 2005; 2008; 2011; 2014; 2017; 2020; 2023

Forekommer i Danmark: Ja dyrket

Oprindelig i Sydeuropa, Nordafrika, den Arabiske Halvø, Tyrkiet, Kaukasus, Iran, dele af Centralasien, Pakistan og Nepal. Introduceret og dyrket i store dele af verden.

Ph. Eur. Herbal Drugs: *Foeniculi amari fructus*; *Foeniculi amari fructus aetheroleum*; *Foeniculi amari herbae aetheroleum*; *Foeniculi dulcis fructus*

Ph. Eur. (DK): Fennikel, bitter; Bitter-fennikelolie; Bitter-fennikel urt olie; Fennikel, sød

Ph. Eur. (Eng.): Fennel, bitter; Bitter-fennel fruit oil; Bitter-fennel herb oil; Fennel, sweet



Fig. 1. *Foeniculum vulgare* - Radix - FS 3421.



Fig. 2. *Foeniculum vulgare* - Radix - FS 890.



Fig. 3. *Foeniculum vulgare* - Herba - FS 2599.



Fig. 4. *Foeniculum vulgare* - Fructus - FS 889.



Fig. 5. *Foeniculum vulgare* - Aetheroleum.