

Kinabarktræ

Cinchona *Cinchona* spp.; *Cinchona pubescens* Vahl; *Cinchona calisaya* Wedd.;

Synonymer: *Cinchona succirubra* Pav. ex Klotzsch; *Cinchona ledgeriana* (Howard) Bern.Moens ex Trimen

Rubiaceae - Krapfamilien

Del anvendt:

cortex (bark)

Lægemiddelplante i DK i år: 1672; 1772; 1805; 1840; 1850; 1868; 1893; 1907; 1933; 1948; 1963; 1978; 1981; 1997; 2002; 2005; 2008; 2011; 2014; 2017; 2020; 2023

Forekommer i Danmark: Nej

Oprindelig i det nordøstlige Sydamerika. Tidligere dyrket i flere tropiske egne.

Historiske navne: kina; cortex cinchona; kinabark; peruvianus; cortex china; cc ruber (rød); cc regia (konge); cc fuscus (brun); cc griseus (grå); flavus (gul);

Ph. Eur. Herbal Drugs: *Cinchonae cortex*; *Cinchonae extractum fluidum normatum*

Ph. Eur. (DK): Kinabark; Kinabark flydende ekstrakt, standardiseret

Ph. Eur. (Eng.): *Cinchona bark*; *Cinchona liquid extract*, standardised



Fig. 1. *Cinchona* sp. - Cortex - FS 4093.



Fig. 2. *Cinchona* sp. - Cortex - FS 4088.



Fig. 3. *Cinchona* sp. - Cortex - FS 4088a.



Fig. 4. *Cinchona* sp. - Cortex. Kinabarktræbark og kinin-præparat.